



Susy gut buck











dogond realocativ

With its beautifully sculpted lines of the gleaming, hand-polished aluminium engine, classic teardrop tank and diamond-quilt-patterned twin seat, the Interceptor harks back to a golden era of motorcycling. The vintage-inspired aesthetics is augmented with the 36-spoke aluminum alloy rims, attached to the Ceat Zoomcruz, specially developed for Royal Enfield. What really brings the legend to life is the evocative exhaust note, one that meters on a power-on rumble, meant to turn heads and move your soul.





Susy like a summer of the summ

The wide handlebar, aligned with a low seat height and confidence-inspiring riding position, is set up for comfort, with a gentle sports bias. It helps the rider make the most of the agile chassis and stay connected to the machine. The Interceptor is smartly designed to have a 174 mm ground clearance and a whippy lean angle to help it go through any road with ease. With a 24-degree rake angle and 106 mm of trail, it feels nimble in the city, planted on the highways and confident on the twisties.


























#INTERCEPTOR650





SILVER SUMPGUARD 1990423 BLACK LARGE ENGINE GUARDS 1990427 SILVER COMPACT ENGINE GUARDS 1990406 SILVER LARGE ENGINE GUARDS 1990407











TINTED TALL FLYSCREEN 1990414 BLACK MAGIC FLYSCREEN 1990468 BLACK SUSPENSION FINISHERS 1990445 HANDLEBAR BRACE PAD 1990402 BLACK INTAKE COVERS 1990442 BLACK HEEL GUARD 1990444















BLACK TOURING MIRRORS 1990454




BLACK TOURING DUAL SEAT 1990404



BLACK PREMIUM TOURING DUAL SEAT 1990482





BLACK SWINGARM BOBBINS 1990415



BLACK WATER RESISTANT BIKE COVER 1990642



NAVY WATER RESISTANT BIKE COVER 1990643





Engine

Type: Parallel twin, 4-stroke,

single overhead cam, air/oil-cooled, Displacement: 648cc Ignition system: Fuel injection, digital spark ignition - TCI

Gearbox: 6-speed constant mesh Maximum power: 47 bhp @ 7150 RPM Maximum Torque: 52 Nm @ 5250 RPM

Chassis & Suspension

Type: Tubular steel frame with bolted trussing Front suspension: 41 mm front fork, 110 mm travel Rear suspension: Twin coil-over shocks, 88 mm travel

Dimensions

Wheelbase: 1400 mm

Ground Clearance: 174 mm

Length: 2122 mm
Width: 1165 mm
Height: 789 mm
Seat height: 804 mm

Seat height: 804 mm Fuel capacity: 13.7 litres

Kerb weight: 202 kg (without fuel)

Brakes and Twees

Front tyre: 100/90-18 Rear tyre: 130/70-18

Front brake: 320 mm disc (ABS) Rear brake: 240 mm disc (ABS)

Electricals


Electrical system: 12 volt - DC

Battery: 12 V, 12 Ah

Head lamp: 12V, H4-60/55W (Halogen)

Tail lamp: 12V, P21/5W

Turn signal lamp 12V, 10W X 4nos







#INTERCEPTOR650





